

From: [Webster, Susan](#)
To: [Crossland, Ronnie](#)
Subject: FW: Response to 3 questions
Date: Tuesday, November 18, 2014 5:13:00 PM

Final answers

Susan Webster, Chief
Removal Section
Superfund Division
US EPA Region 6
214.789.2667 (c)

From: Thompson, Steve
Sent: Tuesday, November 18, 2014 4:48 PM
To: Gray, David
Cc: Blevins, John; Webster, Susan; Phillips, Pam
Subject: Response to 3 questions

1. Can you tell me when DuPont submitted its risk management plan for the La Porte plant to the EPA? Originally submitted June 25, 1999, four updates were submitted before the most recently updated submission September 23, 2011 (However, an amendment of their Accident History was submitted May 4, 2012 for a January 2012 Accident). RMPs are required to resubmit and update every five years.

2. Was the plan ever reviewed or audited? No. However, an electronic completeness check is conducted by the RMP Program (RMP*INFO) at submittal.

3. Did the EPA ever conduct an on-site inspection of the DuPont La Porte plant to assess whether it was complying with the requirements of the risk management program?
No RMP inspection has been conducted at the facility.

If so, can I get the details about the findings of those inspections? N/A

Steve Thompson
Associate Director
Air/Toxics and Inspection Coordination Branch
Compliance Assurance and Enforcement Division
U.S. EPA Region 6
Dallas, TX 75202
214-665-2769



9541383

thompson.steve@epa.gov